

Références bibliographiques

Aberg B. (1996) "Void sizes in granular soils". Journal of geotechnical engineering. Vol.122, No. 3, pp. 236-239.

Aftès (1987) "Texte de recommandations relatives aux travaux d'injection pour ouvrages souterrains". Tunnels et ouvrages souterrains, Association française des travaux en souterrain. No. 81, pp. 101-148.

Aftès (1998) Groupe de travail no14 - Emploi des injections pour la réhabilitation d'ouvrages souterrains visitables. Tunnels et ouvrages souterrains. No.146, mars/avril 1998, pp. 104-134.

Akbulatov T. O., Raksha V. Yu., Sannikov R. Kh. (1983) "Flow of solutions containing a solid phase into a porous medium". Fluid dynamics. Vol. 18, pp. 313-315.

Anagnosti P. (1983) "Fissured clay improved by chemical grouting". Proceeding of the seventh international conference on soil mechanics and foundation engineering. Improvement of ground-proceedings of the 8th European conference on soil mechanics and foundation engineering, Helsinki, Finland. Vol. 1, pp. 115-120.

Arenzana L. M. (1987) "An experimental investigation of the properties and behavior of dilute microfine cement grouts". Thèse présentée à Northwestern University, USA. 172 pages.

Arenzana L., Krizek R. J., Pepper S. F. (1989) "Injection of dilute microfine cement suspensions into fine sands". Proceedings of the twelfth international conference on soil mechanics and foundation engineering. Rio de Janeiro. 13-18 August 1989. Vol. 2, ICSMFE/CIMSTF, pp. 1331-1334.

A.S.T.M. (1981) "Standard test method for viscosity of chemical grouts by brookfield viscometer (laboratory method)". Annular book for ASTM standards. Vol. 04.08, Designation D4016-81 (Reapproved 1988).

A.S.T.M. (1992) "Standard test method for determining triaxial compression creep strength of chemical grouted soils". Annual book of ASTM standards. Vol. 04.08. Designation : D5202-91.

Ata A., Vipulanandan C. (1998) "Cohesive and adhesive properties of silicate grout on grouted-sand behavior". Journal of geotechnical and environmental engineering. Vol. 124, No. 1, pp. 38-44.

Azzar G. (1997) "Modélisation des injections de coulis de bentonite-ciment dans les sols". Thèse présentée à l'Ecole Nationale Supérieure d'Arts et Métiers, France. Spécialité : mécanique. 265 pages.

Benahmed N. (2001) "Comportement mécanique d'un sable sous cisaillement monotone et cyclique : application aux phénomènes de liquéfaction et de mobilité cyclique". Thèse de doctorat de l'Ecole Nationale des Ponts et Chaussées, Paris, France. 351 pages.

- Biarez J., David H., Gouvenot D., Hicher P. Y., Tailliez S., Varjabedian M. (1998) "Comportement mécanique des sols granulaires traités par injection". Revue française de génie civil. Vol. No. 2, pp. 255-295.
- Bodocsi A., Bowers M. T., Sherer R. A. (1986) "Permeability of grouts subjected to chemicals". Environmental engineering, proceedings of the 1986 specialty conference. Publ by ASCE, New York, NY, USA, pp. 99-105. ISBN : 0-87262-544-3.
- Bolton M. D., Mckinley J. D. (1997) "geotechnical properties of fresh cement grout-pressure filtration and consolidation tests". Géotechnique. Vol. 47, No. 2, pp. 347-352.
- Bortal-Nafaa S. (2002) « Approche discrète de l'injection de suspensions de ciment dans les milieux poreux pulvérulents ». Thèse présentée à l'Ecole Centrale de Paris, France. 151 pages.
- Bouchelaghem A. (1994) "Comportements aux limites dans l'injection des sols". Thèse présentée à l'Ecole Nationale Supérieure des Mines de Paris, France. Spécialité : Géologie de l'ingénieur. 187 pages.
- Bouchelaghem F. (2001) "Injection d'un coulis de microciment à travers un milieu poreux : modélisation et expérimentation". Thèse N°2433 présentée à l'Ecole Polytechnique Fédérale de Lausanne, Suisse. 358 pages.
- Bouchelaghem F., Almosni A. (2001) "Experimental study of the dispersion of a micro-cement grout front and determination of the longitudinal dispersion coefficient during injection in a one-dimensional model". Transport in porous media in press.
- Bouchelaghem F., Vulliet L. (2001) "Mathematical and numerical filtration-advection-dispersion model of miscible grout propagation in saturated porous media". Int. J. Numer. Anal. Methods Geomech. Vol. 25, No. 12, pp. 1195-1227.
- Bouchelaghem F., Vulliet L., Leroy D., Laloui L., Descoedres F. (2001) "Real-scale miscible grout injection and performance of advection-dispersion-filtration model". Int. J. Numer. Anal. Methods Geomech. Vol. 25, No. 12, pp. 1149-1173.
- Bouchelaghem F., Vulliet L. (2002) "Analysis of coupled grout propagation and fluid flow in a deformable porous medium". Comput. Geotech. (article soumis).
- Bouchelaghem F. (2002) "Two large-scale injection experiments, and assessment of the advection-dispersion-filtration model". Géotechnique. Vol. 52, No. 9, pp. 667-682.
- Boulanger R. W., Hayden R. F. (1995) "Aspects of compaction grouting of liquefiable soil". Journal of geotechnical engineering. Vol. 121, No.12, pp. 844-855.
- Cambefort H. (1967) "Injection des sols". Tome I. Principes et méthodes. Editions Eyrolles. 394 pages.
- Caron C. (1970) "Rhéologie des coulis d'injection". La houille blanche. No. 5, pp. 453-460.

Caron C. (1982) "The state of grouting in the 1980's". Proceeding conference on grouting in geotechnical engineering. ASCE, New Orleans, La., pp. 346-358.

Chang T. S., Woods R. D., Li N. H. (1990) "Preparation of grouted sand specimens for dynamic testing". Geotechnical testing journal. GTJODJ. Vol. 13, No. 3, pp. 235-242.

Christopher B. R., Atmatzidis D. K., Krizek R. J. (1989) "Laboratory testing of chemically grouted sand". Geotechnical testing journal. GTJODJ. Vol. 12, No. 2, pp. 109-118.

Clough G. W., Sitar N., Bachus R. C. (1981) "Cemented sands under static loading". Journal of the geotechnical engineering division, proceedings of the American Society of Civil Engineers. Vol. 107, No. GT6, pp. 799-817.

Coumoulos D. G., Koryalos T. P. (1983) "Grout mixtures for ground improvement-Laboratory testing and quality control". Improvement of ground-proceedings of the 8th European conference on soil mechanics and foundation engineering, Helsinki, Finland. Vol. 1, pp. 141-146.

Dabrowski W. (1988) "Consequences of the mass balance simplification in modelling deep filtration". Water research. Vol. 22, No. 10, pp. 1219-1227.

Darby J. L., Lawler D. F. (1990) "Ripening in depth filtration: effect of particle size on removal and head loss". Environmental science and technology. Vol. 24, No. 7, pp. 1069-1079.

Darby J. L., Lawler D. F., Wilshusen T. P. (1991) "Depth filtration of wastewater: particle size and ripening". Research journal of the water pollution control federation. Vol. 63, No. 3, pp. 228-238.

Delachambre Y. (1966) "Contribution à l'étude de l'écoulement d'une suspension à travers un milieu poreux et du mécanisme de filtration". Thèse présentée à la Faculté des Sciences de l'Université de Nancy, France. 99 pages.

Delves T. R. (1992) "Design considerations for slurry injection machinery". Conference on Engineering in Agriculture. Albury, NSW, Australia. 4-7 October 1992, pp. 143-146.

Diefenthal D. C., Borden R. H., Baker W. H., Krizek R. J. (1979) "Strength and stiffness of silicate grouted sand with different stress histories". Geotechnical testing journal. GTJODJ. Vol. 2, No. 4, pp. 200-205.

Droof E. R., Furth A. J., Scarborough J. A. (1995) "Jet grouting to support historic buildings". Proceedings of the geotechnical engineering division of the ASCE. 1995 Oct./ 42/55.

Dupla J. C., Canou J., De Laure E., Boulay X., Kerneis S. (1998) "Simulation expérimentale de l'injection monodirectionnelle de coulis bentonite ciment dans les sables". Rapport final (programme de recherche 1997). 100 pages.

Dupla J. C., Canou J., Boulay X., Bortal S., Beddiar K., Démogé B. (1999) "Simulation expérimentale de l'injection monodirectionnelle de coulis de renforcement à base ciment dans les sables". Rapport final (programme de recherche 1998). 113 pages.

Dupla J. C., Canou J., Benahmed N., Boulay X. (2000) "Simulation expérimentale de l'injection monodirectionnelle de coulis de ciment dans les sables". Rapport de synthèse (programme de recherche 1999). 141 pages.

Dupla J. C., Canou J. (2001) "Simulation expérimentale de l'injection monodirectionnelle de coulis de ciment dans des sables". Rapport de synthèse (programme de recherche 2000).

Dvorkin J., Mavko G., Nur A. (1991) "The effect of cementation on the elastic properties of granular material". *Mechanics of materials*. No. 12, pp. 207-217.

Eriksson M., Stille H., Andersson J. (2000) "Numerical calculations for grout spread with account for filtration and varying aperture". *Tunnelling and underground space technology*. Vol. 15, pp. 353-364.

Eriksson M. (2002) "Grouting field experiment at the äspö hard rock laboratory". *Tunnelling and underground space technology*. Vol. 17, pp. 287-293.

Free M. L., Zhu J. S., Moudgil B. M. (1998) "Use of a new particle contact probability filtration rate model to determine the effect of particle size distribution in filtration". *Separation science and technology*. Vol. 33, No. 1, pp. 57-66.

Gallavresi F. (1992) "Grouting improvement of foundation soils". proceedings of the 1992 ASCE specialty conference on grouting, soil improvement and geosynthetics. Geotechnical special publication v 1 n 30. Publ by ASCE, New York, USA, pp. 1-38.

Ghidaglia C. (1994) "Filtration en profondeur de particules". Thèse présentée à l'Université de Paris VI, France. Spécialité : Physique des liquides. 172 pages.

Ghidaglia C., De Arcangelis L., Hinch J., Guazzelli E. (1996) "Transition in particle capture in deep bed filtration". *Physical review*. Vol. 53, No. 4, pp. R3028-R3031.

Gouvenot D. (1998) "State of the art in European grouting". *Ground Improvement*. 2, 51-67.

Hall W. A. (1957) "An analysis of sand filtration". *Journal of the sanitary engineering division*. Vol. 83, No. SA 3. Paper 1276, pp. 1276-1, 1276-9.

Happel J., Brenner H. (1973) "Low Reynolds number hydrodynamics". Noordhoff, Leyden, the Netherlands, 320.

Herzig J. P., Leclerc D., Le Goff P. (1970) "Flow of suspensions through porous media. Application to deep filtration". *Industrial and engineering chemistry*. Vol. 62, No. 5, pp. 8-35.

Honma S. (1986) "A mathematical model for the analysis on the injection and distribution of chemical grout in soils". Proceedings of the faculty of engineering, Tokai University.

Huang W. H. (1974) "An investigation of the fluid characteristics of cement grouts". *Journal of testing and evaluation*. JTEVA. Vol. 2, No. 6, pp. 516-521.

Iwasaki T. (1937) "Some notes on sand filtration". *J. Am. Water Works Ass.*, 29 (10), pp. 1591-1602.

Jessberger H. L. (1983) 'Soil grouting general report'. Improvement of ground. Proceeding of the 8th European conference on soil mechanics and foundation engineering. Helsinki, Finland. Vol. 3, pp. 1069-1078.

Johnson J. (1958) "Cement and clay grouting of foundations : grouting with clay-cement grouts". Journal of the soil mechanics and foundation division. Proceedings of the american society of civil engineers. Vol. 84, No. SM1. Paper 1545, pp. 1545-1,1545-12.

Johnston P. R. (1988) "Liquid filtration". Chemical engineering progress. Vol. 84, No. 11, pp. 18-26.

Johnston P. R. (1998) "Revisiting the most probable pore-size distribution in filter media : the gamma distribution". Filtration & separation. Vol. 35, No. 3, pp. 287-292.

Joly M. (1970) "Comportement rhéologique des liquides et suspensions". La houille blanche. No. 5, pp. 397-403.

Kaga M., Yonekura R. (1991) "Estimation of strength of silicate grouted sand". Soils and foundations. Vol. 31, No. 3, pp. 43-59.

Karol R. H., Swift A. M. (1961) "Symposium on grouting : grouting in flowing water and stratified deposits". Journal of the soil mechanics and foundations division, proceedings of the american society of civil engineers. Vol. 87, No. SM2, pp. 125-145.

Karol R. H. (1968) 'Chemical grouting technology'. Journal of the soil mechanics and the foundations division, proceedings of the american society of civil engineers. Vol. 94, No. SM1, pp. 175-204.

Karol R. H. (1982) 'Chemical grouts and their properties'. Proceedings of the conference on grouting in geotechnical engineering. A.S.C.E., New Orleans, U.S.A, pp. 359-377.

Khuzhaerov B. (1992) "Model of suspension filtration with account of colmatation and suffosion". Journal of engineering physics and thermophysics. Vol. 63, pp. 72-79.

Kleyner I., Krizek R. J. (1995) "Mathematical model for bore-injected cement grout installations". Journal of geotechnical engineering. Vol. 121, No. 11, pp. 782-788.

Krizek R. J., Benltayf M. A. et Atmazidis D. K. (1982) "Effective stress-strain-strength behavior of silicate-grouted sand". Proceedings of the conference of grouting in geotechnical engineering, ASCE, New Orleans, USA, pp. 482-497.

Krizek R. J. (1985) 'Chemical grouting in soils permeated by water'. Journal of geotechnical engineering. Vol. 111, No. 7, pp. 898-915.

Koenzen J. P. (1977) "Time-dependant stress-strain behavior of silicate-gouted sand". Journal of the geotechnical engineering division, proceedings of the american society of civil engineers. Vol. 103, No. GT8, pp. 903-908.

Kutzner C. (1996) "grouting of rock and soil". Publié par A. A. Balkema, P. O. Box 1675, 3000 BR Rotterdam, Netherlands. 271 pages.

Lambe W. T., Whitman R. V. (1969) 'Soil mechanics : S I version". Edition : New York, John Wiley. 553 pages.

Leclerc D. (1988) "Vingt-cinq ans de contribution à l'étude de la filtration". Thèse présentée à l'Institut National Polytechnique de Lorraine. Spécialité : sciences. 109 pages.

Leclerc D., Dodds J. (1993) "De la filtration des colloïdes à la modélisation des milieux poreux". Entropie. Vol. 29, No. 180, pp. 21-28.

Lee J., Koplik J. (2001) 'Network model for deep bed filtration". Physics of fluids. Vol. 13, No. 5, pp. 1076-1086.

Lin C. L., Miller J. D. (2000) "Pore structure and network analysis of filter cake". Chemical engineering journal. Vol. 80, pp. 221-231.

Lombardi G. (1990) "La perméabilité et l'injectabilité des massifs rocheux fissurés". Revue française de géotechnique. No. 51, pp. 5-29.

Luong M. P., Gandais M. Allemand P. (1977) "Comportement mécanique des sols injectés aux produits chimiques". Annales de l'Institut technique du bâtiment et des travaux publics. No. 354, pp. 14-35.

Mackie R. I. (1989) 'Rapid gravity filtration- towards a deeper understanding". Filtration & separation. Vol. 26, No.1, pp. 32-35.

Mackie R. I., Bai R. (1992) 'Suspended particle size distribution and the performance of deep bed filters". Water research. Vol. 26, No. 12, pp. 1571-1575.

Markou I. N., Atmatzidis D. K. (1996) "Pulverized fly ash-groutability effectiveness". Proceedings of the second international conference on ground improvement geosystems Tokyo, 14-17 may 1996. Vol. 1, pp. 53-58.

McDowell-Boyer L. M., Hunt J. R., Sitar N. (1986) "Particle transport through porous media". Water Resour. Res. Vol. 22, No. 13, pp. 1901-1921.

Nadji D. (1998) "Colmatage d'un milieu modèle par une suspension d'argile : application au colmatage des chaussées poreuses". Thèse présentée à l'Ecole Nationale des Ponts et Chaussées, France. Spécialité : matériaux et structures. 189 pages.

Nikiforov A. I., Nikan'shin D. P. (1998) "Simulation of transfer of solid particles by a filtration flow". Journal of engineering physics and thermophysics. Vol. 71, No. 6, pp. 933-938.

O'Connor K. M., Krizek R. J., Atmazidis D. K. (1978) 'Microcharacteristics of chemically stabilized granular materials". Journal of the geotechnical engineering division. Proceedings of the american society of civil engineers. Vol. 104, No. GT7, pp. 939-952.

O'Melia C. R. (1965) "Discussion of "the theory of water filtration". Journal of sanitary engineering division, A.S.C.E. 1965, 91(2), pp. 92-98.

O'Melia C. R., Ali W. (1978) "The roles of retained particles in deep bed filtration". Prog. Water Technol., 10, 123.

Paillière A. M. (1971) "Etude comparative de quelques coulis d'injection". Bulletin de liaison des ponts et chaussées. No. 52, pp. 35-47.

Payatakes A. C., Tien C., Turian M. (1973) "A new model for granular porous media. I : Model formulation". AIChE J.. 19 No. 1, pp. 58-67.

Persoff P., Moridis G. J., Apps J. A., Pruess K. (1998) "Evaluation tests for colloidal silica for use in grouting applications". Geotechnical testing journal. GTJODJ. Vol. 21, No. 3, pp. 264-269.

Portier J. L. (1984) "Le comportement réel des coulis de bentonite-ciment : nouvelles applications". Annales de l'Institut technique du bâtiment et des travaux publics. Série Sols et Fondations. Mars-Avril, No. 423, pp. 18-34.

Poupelloz B. (1979) "Traitement des terrains par injection". Laboratoire de l'est parisien. 82 pages.

Redner S., Datta S. (2000) "Clogging time of a filter". Physical review letters. Vol. 84, No. 26, pp. 6018-6021.

Rege S. D., Fogler H. S. (1988) "A network model for deep bed filtration of solid particles and emulsion drops". AIChE journal. Vol. 34, No. 11, pp. 1761-1772.

Schubert A., Floss R. (1983) "Development of a testing method for silicagel grouted sands". Improvement of ground-proceedings of the 8th European conference on soil mechanics and foundation engineering, Helsinki, Finland. Vol. 1, pp. 411-414.

Schwartz L. M., Wilkinson D. J., Bolsterli M., Hammond P. (1993) "Particle filtration in consolidated granular systems". Physical review B (Condensed matter). Vol. 47, No. 9, pp. 4953-4958.

Schwarz L. G., Krizek R. J. (1994) "Effect of preparation technique on permeability and strength of cement-grouted sand". Geotechnical testing journal, GTJODJ. Vol. 17, No. 4, pp. 434-443.

Schwarz L. G. (1997) "Roles of rheology and chemical filtration on injectability of microfine cement grouts". Thèse de doctorat de Northwestern university, Evanston, Illinois, USA. 503 pages.

Shaoying Q. I. (1998) "Expression for critical suspended particle size in granular media filtration processes". Water research. Vol. 32, No. 9, pp. 2856-2859.

Shimoda M., Ohmori H. (1982) "Ultra fine grouting material". Grouting in geotechnical engineering : 77-91. ASCE, New York.

Singh A., Mitchell J. K. (1968) "General stress-strain-time function for soils". Journal of the soil mechanics and foundations divisions, Proceedings of the american society of civil engineers. Vol. 94, No. SM1, pp. 21-46.

Skipp B., Renner L. (1963) "The improvement of the mechanical properties of sand". Proceedings of the symposium of grouts and drilling muds in engineering practice, Institute of civil engineers, London, England, pp. 29-33.

Stefan H. (1963) "Contribution à l'étude du cheminement d'un coulis d'injection dans un milieu poreux perméable". Thèse de doctorat de l'Université Paul Sabatier, Toulouse, France.

Steltzer B. U. (1982) "Mechanical behavior of silicate-grouted soils". Proceedings of the conference on grouting in geotechnical engineering, A.S.C.E., New Orleans, U.S.A, pp. 498-514.

Tarafdar S., Dey A., Gupta B. S. (1992) "A multiple state stochastic model for deep-bed filtration". Chemical engineering & technology. Vol. 15, No.1, pp. 44-50.

Tien C. (1989) "Granular filtration of aerosols and hydrosols". Butterworths, Boston.

Tien C. (2000) "Hydrosol deposition in porous media : the effect of surface interactions". Advanced powder technology. Vol. 11, No. 1, pp. 9-56.

Trent B. C., Margolin L. G. (1992) "A numerical laboratory for granular solids". Engineering computations. Vol. 9, pp. 191-197.

Tobiason J. E., Johnson G. S., Westerhoff P. K., Vigneswaran B. (1993) "Particle size and chemical effects on contact filtration performance". Journal of environmental engineering. Vol. 119, No. 3, pp. 520-539.

Vigneswaran S., Thiyagaram M., Ben Aim R. (1985) "Mathematical modeling of radial flow filtration and its application to groundwater recharge problems". AIChE journal. Vol. 31, No. 11, pp. 1929-1933.

Vigneswaran S., Tulachan R. K. (1988) "Mathematical modelling of transient behaviour of deep bed filtration". Water research. Vol. 22, No. 9, pp. 1093-1100.

Vipulanandan C., Krizek R. J. (1986) "Mechanical behavior of chemically grouted sand". Journal of geotechnical engineering. Vol. 112, No. 9, pp. 869-887.

Vipulanandan C., Shenoy S. (1992) "Properties of cement grouts and grouted sands with additives". Proceedings of the 1992 ASCE specialty conference on grouting, soil improvement and geosynthetics. Geotechnical special publication v 1 n 30. Publ by ASCE, New York, NY, USA, pp. 500-511.

Wan A. W. L., Graham J., Gray M. N. (1990) "Influence of soil structure on the stress-strain behavior of sand-bentonite mixtures". Geotechnical testing journal, GTJODJ. Vol. 13, No. 3, pp. 179-187.

Warner J. (1972) "Strength properties of chemically solidified soils". Journal of the soil mechanics and foundations division, Proceedings of the american society of civil engineers. Vol. 98, No. 11, pp. 1163-1185.

Warner J., Schmidt N., Reed J., Shepardson D., Lamb R., Wong S. (1992) "Recent advances in compaction grouting technology". Proceedings of the conference on grouting, soil improvement and geosynthetics. A.S.C.E., New Orleans, U.S.A, pp. 252-264.

Weir G. J., White S. P. (1996) "Surface deposition from fluid flow in a porous medium". Transport in porous media. Vol. 25, pp. 79-96.

Welsh J. P., Burke G. K. (1991) "Jet grouting - Uses for soil improvement". Proceedings of the geotechnical engineering congress. 1, jun., 27/334-345.

Widmann R. (1996) "International society for rock mechanics commission on rock grouting". International journal of rock mechanics, mining science and geomechanics. Vol. 33, No. 8, pp. 803-847.

Winter E., Clarke W. J., Guthrie J. W. (1986) "Microfine cement grout strengthens foundations". Concrete International, October, pp. 59-61.

Yin H., Dvorkin J. (1994), "Strength of cemented grains". Geophysical research letters. Vol. 21, No. 10, pp. 903-906.

Zebovitz S., Krizek R. J., Atmatzidis D. K. (1989) "Injection of fine sands with very fine cement grout". Journal of geotechnical engineering. Vol. 115, No. 12, pp. 1717-1733.